

















































neon³ universal OCT spinal stabilization

Locking screw	CS 3901-01		0140525360841592
Screw, Ø 3.5mm, length 10mm	CS 3902-35-10		0140525360841738
Screw, Ø 3.5mm, length 12mm	CS 3902-35-12		0140525360841806
Screw, Ø 3.5mm, length 14mm	CS 3902-35-14		0140525360841974
Screw, Ø 3.5mm, length 16mm	CS 3902-35-16		0140525360842032
Screw, Ø 3.5mm, length 18mm	CS 3902-35-18		0140525360842100
Screw, Ø 3.5mm, length 20mm	CS 3902-35-20		0140525360842278
Screw, Ø 3.5mm, length 22mm	CS 3902-35-22		0140525361611262
Screw, Ø 3.5mm, length 24mm	CS 3902-35-24		0140525361611330
Screw, Ø 3.5mm, length 26mm	CS 3902-35-26		0140525361611408
Screw, Ø 3.5mm, length 28mm	CS 3902-35-28		0140525361611576
Screw, Ø 4.0mm, length 10mm	CS 3903-40-10		0140525360842346
Screw, Ø 4.0mm, length 12mm	CS 3903-40-12		0140525360842414
Screw, Ø 4.0mm, length 14mm	CS 3903-40-14		0140525360842582
Screw, Ø 4.0mm, length 16mm	CS 3903-40-16		0140525360842650
Screw, Ø 4.0mm, length 18mm	CS 3903-40-18		0140525360842728

















neon³ universal OCT spinal stabilization

Screw, Ø 4.0mm, length 20mm	CS 3903-40-20		0140525360842896
Screw, long shaft, cannulated, Ø 4.0mm, length 26mm	CS 3904-40-26		0140525360842964
Screw, long shaft, cannulated, Ø 4.0mm, length 28mm	CS 3904-40-28		0140525360843022
Screw, long shaft, cannulated, Ø 4.0mm, length 30mm	CS 3904-40-30		0140525360843190
Screw, long shaft, cannulated, Ø 4.0mm, length 32mm	CS 3904-40-32		0140525360843268
Screw, long shaft, cannulated, Ø 4.0mm, length 34mm	CS 3904-40-34		0140525360843336
Screw, long shaft, cannulated, Ø 4.0mm, length 36mm	CS 3904-40-36		0140525360843404
Screw, long shaft, cannulated, Ø 4.0mm, length 38mm	CS 3904-40-38		0140525361611712
Screw, long shaft, cannulated, Ø 4.0mm, length 40mm	CS 3904-40-40		0140525361611880
Screw, cannulated, Ø 4.0mm, length 20mm	CS 3905-40-20		0140525360843572
Screw, cannulated, Ø 4.0mm, length 22mm	CS 3905-40-22		0140525360843640
Screw, cannulated, Ø 4.0mm, length 24mm	CS 3905-40-24		0140525360843718
Screw, cannulated, Ø 4.0mm, length 26mm	CS 3905-40-26		0140525360843886
Screw, cannulated, Ø 4.0mm, length 28mm	CS 3905-40-28		0140525360843954
Screw, cannulated, Ø 4.0mm, length 30mm	CS 3905-40-30		0140525360844012
Screw, cannulated, Ø 4.0mm, length 32mm	CS 3905-40-32		0140525360844180

















neon³ universal OCT spinal stabilization

Screw, cannulated, Ø 4.0mm, length 34mm	CS 3905-40-34		0140525360844258
Screw, cannulated, Ø 4.0mm, length 36mm	CS 3905-40-36		0140525360844326
Screw, cannulated, favored angle medial, Ø 4.0mm, length 20mm	CS 3906-40-20		0140525360844494
Screw, cannulated, favored angle medial, Ø 4.0mm, length 22mm	CS 3906-40-22		0140525360844562
Screw, cannulated, favored angle medial, Ø 4.0mm, length 24mm	CS 3906-40-24		0140525360844630
Screw, cannulated, favored angle medial, Ø 4.0mm, length 26mm	CS 3906-40-26		0140525360844708
Screw, cannulated, favored angle medial, Ø 4.0mm, length 28mm	CS 3906-40-28		0140525360844876
Screw, cannulated, favored angle medial, Ø 4.0mm, length 30mm	CS 3906-40-30		0140525360844944
Screw, cannulated, favored angle medial, Ø 4.0mm, length 32mm	CS 3906-40-32		0140525360845002
Screw, cannulated, favored angle medial, Ø 4.0mm, length 34mm	CS 3906-40-34		0140525360845170
Screw, cannulated, favored angle medial, Ø 4.0mm, length 36mm	CS 3906-40-36		0140525360845248
Screw, cannulated, Ø 4.5mm, length 25mm	CS 3907-45-25		0140525360845316
Screw, cannulated, Ø 4.5mm, length 30mm	CS 3907-45-30		0140525360845484
Screw, cannulated, Ø 4.5mm, length 35mm	CS 3907-45-35		0140525360845552
Screw, cannulated, Ø 4.5mm, length 40mm	CS 3907-45-40		0140525360845620
Screw, cannulated, Ø 4.5mm, length 45mm	CS 3907-45-45		0140525360845798

















neon³ universal OCT spinal stabilization

Screw, cannulated, Ø 4.5mm, length 50mm	CS 3907-45-50		0140525360845866
Screw, cannulated, Ø 5.5mm, length 25mm, perforated	CS 3907-55-25		0140525361611958
Screw, cannulated, Ø 5.5mm, length 30mm, perforated	CS 3907-55-30		0140525361612016
Screw, cannulated, Ø 5.5mm, length 35mm, perforated	CS 3907-55-35		0140525361612184
Screw, cannulated, Ø 5.5mm, length 40mm, perforated	CS 3907-55-40		0140525361612252
Screw, cannulated, Ø 5.5mm, length 45mm, perforated	CS 3907-55-45		0140525361612320
Screw, cannulated, Ø 5.5mm, length 50mm, perforated	CS 3907-55-50		0140525361612498
Screw, cannulated, Ø 5.5mm, length 55mm, perforated	CS 3907-55-55		0140525361612566
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 34mm	CS 3909-40-34		0140525360847228
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 36mm	CS 3909-40-36		0140525360847396
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 38mm	CS 3909-40-38		0140525360847464
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 40mm	CS 3909-40-40		0140525360847532
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 42mm	CS 3909-40-42		0140525360847600
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 44mm	CS 3909-40-44		0140525360847778
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 46mm	CS 3909-40-46		0140525360847846
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 48mm	CS 3909-40-48		0140525360847914
















neon³ universal OCT spinal stabilization

Screw, cannulated, favored angle cranial, Ø 4.0mm, length 50mm	CS 3909-40-50		0140525360848072
Rod, titanium alloy, Ø 4.0mm, curved, length 25mm	CS 3910-01-025		0140525361683306
Rod, titanium alloy, Ø 4.0mm, curved, length 30mm	CS 3910-01-030		0140525361683474
Rod, titanium alloy, Ø 4.0mm, curved, length 35mm	CS 3910-01-035		0140525361683542
Rod, titanium alloy, Ø 4.0mm, curved, length 40mm	CS 3910-01-040		0140525361683610
Rod, titanium alloy, Ø 4.0mm, curved, length 45mm	CS 3910-01-045		0140525361683788
Rod, titanium alloy, Ø 4.0mm, curved, length 50mm	CS 3910-01-050		0140525361683856
Rod, titanium alloy, Ø 4.0mm, curved, length 55mm	CS 3910-01-055		0140525361683924
Rod, titanium alloy, Ø 4.0mm, curved, length 60mm	CS 3910-01-060		0140525361684082
Rod, titanium alloy, Ø 4.0mm, curved, length 70mm	CS 3910-01-070		0140525361684150
Rod, titanium alloy, Ø 4.0mm, curved, length 80mm	CS 3910-01-080		0140525361684228
Rod, titanium alloy, Ø 4.0mm, curved, length 90mm	CS 3910-01-090		0140525361684396
Rod, titanium alloy, Ø 4.0mm, curved, length 100mm	CS 3910-01-100		0140525361684464
Rod, titanium alloy, Ø 4.0mm, curved, length 110mm	CS 3910-01-110		0140525361684532
Rod, titanium alloy, Ø 4.0mm, curved, length 120mm	CS 3910-01-120		0140525361684600
Rod, titanium alloy, Ø 4.0mm, length 20mm	CS 3910-020		0140525361612634

















neon³ universal OCT spinal stabilization

Rod, titanium alloy, Ø 4.0mm, length 25mm	CS 3910-025		0140525361612702
Rod, titanium alloy, Ø 4.0mm, length 30mm	CS 3910-030		0140525361612870
Rod, titanium alloy, Ø 4.0mm, length 35mm	CS 3910-035		0140525361612948
Rod, titanium alloy, Ø 4.0mm, length 40mm	CS 3910-040		0140525361613006
Rod, titanium alloy, Ø 4.0mm, length 45mm	CS 3910-045		0140525361613174
Rod, titanium alloy, Ø 4.0mm, length 50mm	CS 3910-050		0140525361613242
Rod, titanium alloy, Ø 4.0mm, length 55mm	CS 3910-055		0140525361613310
Rod, titanium alloy, Ø 4.0mm, length 60mm	CS 3910-060		0140525361613488
Rod, titanium alloy, Ø 4.0mm, length 65mm	CS 3910-065		0140525361613556
Rod, titanium alloy, Ø 4.0mm, length 70mm	CS 3910-070		0140525361613624
Rod, titanium alloy, Ø 4.0mm, length 75mm	CS 3910-075		0140525361613792
Rod, titanium alloy, Ø 4.0mm, length 80mm	CS 3910-080		0140525360848140
Rod, titanium alloy, Ø 4.0mm, length 85mm	CS 3910-085		0140525361613860
Rod, titanium alloy, Ø 4.0mm, length 90mm	CS 3910-090		0140525361613938
Rod, titanium alloy, Ø 4.0mm, length 95mm	CS 3910-095		0140525361614096
Rod, titanium alloy, Ø 4.0mm, length 100mm	CS 3910-100		0140525361614164

















neon³ universal OCT spinal stabilization

Rod, titanium alloy, Ø 4.0mm, length 120mm	CS 3910-120		0140525360848218
Rod, titanium alloy, Ø 4.0mm, length 140mm	CS 3910-140		0140525361614232
Rod, titanium alloy, Ø 4.0mm, length 160mm	CS 3910-160		0140525361614300
Rod, titanium alloy, Ø 4.0mm, length 200mm	CS 3910-200		0140525361614478
Rod, titanium alloy, Ø 4.0mm, length 240mm, with hex end	CS 3910-240		0140525360848386
Rod, CoCr, Ø 4.0mm, length 240mm, with hex end	CS 3911-240		0140525360848454
Rod, CoCr, Ø 4.0mm, length 400mm, with hex end	CS 3911-400		0140525360848522
Occipital plate, lateral, with rod	CS 3913-05		0140525361614546
Occipital plate, midline, 47mm, for rod, Ø 4.0mm	CS 3913-08		0140525361614850
Occipital plate, midline, 57mm, for rod, Ø 4.0mm	CS 3913-09		0140525361614928
OC rod, hinged, titanium alloy, Ø 4.0mm	CS 3913-10		0140525361615086
OC-rod, titanium alloy, Ø 4.0mm, 90° curved, length 300mm (100 / 200mm)	CS 3913-40-05		0140525361684778
Occipital screw, Ø 5.0mm, length 6mm, self-tapping	CS 3914-50-06		0140525361139964
Occipital screw, Ø 5.0mm, length 8mm, self-tapping	CS 3914-50-08		0140525361140090
Occipital screw, Ø 5.0mm, length 10mm, self-tapping	CS 3914-50-10		0140525361140168

















neon³ universal OCT spinal stabilization

Occipital screw, Ø 5.0mm, length 12mm, self-tapping	CS 3914-50-12		0140525361140236
Occipital screw, Ø 5.0mm, length 14mm, self-tapping	CS 3914-50-14		0140525361140304
Occipital screw, Ø 5.0mm, length 16mm, self-tapping	CS 3914-50-16		0140525361140472
Rod, for atlas claw, Ø 4.0mm	CS 3915-01		0140525360850198
Counter hook for atlas claw, Ø 4.0mm	CS 3915-02		0140525360850266
Counter hook, long, for atlas claw, Ø 4.0mm	CS 3915-03		0140525361615604
Hook, straight, short	CS 3916-01		0140525360850334
Hook, straight, long	CS 3916-02		0140525360850402
Hook, right	CS 3916-03		0140525360850570
Hook, left	CS 3916-04		0140525360850648
Crosslink, rod to rod, S, length 34 - 44mm	CS 3917-05		0140525361615772
Crosslink, rod to rod, M, length 39 - 49mm	CS 3917-06		0140525361615840
Crosslink, rod to rod, L, length 44 - 59mm	CS 3917-07		0140525361615918
Crosslink, screw to screw, S	CS 3917-08		0140525361616076
Crosslink, screw to screw, M	CS 3917-09		0140525361616144
Crosslink, screw to screw, L	CS 3917-10		0140525361616212

















neon³ universal OCT spinal stabilization

Locking screw with adapter for crosslink, screw-to-screw	CS 3917-11		0140525361693442
Locking screw for crosslink, screw-to-screw	CS 3917-12		0140525361693756
Crosslink, rod-to-rod, small, S, length 34 - 44mm	CS 3917-21		0140525361684846
Crosslink, rod-to-rod, small, M, length 39 - 49mm	CS 3917-22		0140525361684914
Crosslink, rod-to-rod, small, L, length 44 - 59mm	CS 3917-23		0140525361685072
Cable connector	CS 3918-01		0140525360851188
Offset connector, square	CS 3918-02-02		0140525360851324
Offset connector, square, long	CS 3918-02-03		0140525361616380
Offset connector, parallel, right, length 7mm	CS 3918-06-07		0140525361616526
Offset connector, parallel, right, length 9mm	CS 3918-06-09		0140525361616694
Offset connector, parallel, right, length 11mm	CS 3918-06-11		0140525361616762
Offset connector, parallel, right, length 14mm	CS 3918-06-14		0140525361616830
Offset connector, parallel, right, length 17mm	CS 3918-06-17		0140525361616908
Offset connector, parallel, right, length 20mm	CS 3918-06-20		0140525361617066
Offset connector, parallel, left, length 7mm	CS 3918-07-07		0140525361617134
Offset connector, parallel, left, length 9mm	CS 3918-07-09		0140525361617202

















neon³ universal OCT spinal stabilization

Offset connector, parallel, left, length 11mm	CS 3918-07-11		0140525361617370
Offset connector, parallel, left, length 14mm	CS 3918-07-14		0140525361617448
Offset connector, parallel, left, length 17mm	CS 3918-07-17		0140525361617516
Offset connector, parallel, left, length 20mm	CS 3918-07-20		0140525361617684
Rod-rod-connector, cervicothoracic, axial	CS 3919-01		0140525360852864
Rod-rod-connector, cervicothoracic, parallel	CS 3919-02		0140525360852932
Inserter for hooks	CS 1466		0140525360078998
Handle for adapter for injection	CS 3850-03		0140525360816842
Awl	CS 3920-01		0140525361617752
Probe, cannulated, for screws Ø 4.5 / 5.5mm, coupling B	CS 3921-01		0140525360853168
Trocar tipped wire for probe, thoracic	CS 3921-02		0140525360853236
Trocar tipped drill wire, Ø 1.5mm, length 410mm	CS 3922-410		0140525360853304
Trocar, cannulated, for trocar drill wire, Ø 1.5mm	CS 3923-01		0140525360853472
Sleeve for trocar tipped drill wire	CS 3923-02		0140525360853540
Guide wire, blunt, Ø 1.5mm, length 410mm	CS 3924-410		0140525360853618
Cutter with handle, cannulated, Ø 3.0mm	CS 3925-01		0140525361617820

















neon³ universal OCT spinal stabilization

Tap, for screws Ø 3.5mm, coupling B	CS 3925-02		0140525361617998
Tap, for screws Ø 4.0mm, coupling B	CS 3925-03		0140525361618056
Tap, for screws Ø 4.5mm, coupling B	CS 3925-04		0140525361618124
Tap, cannulated, for screws Ø 5.5mm, coupling B	CS 3925-05		0140525361618292
Drill 1 for CS 3902, CS 3903, CS 3904, coupling AO	CS 3926-03		0140525361618360
Adapter for drill 1, blunt	CS 3926-04		0140525361618438
Adapter for drill 1, serrated	CS 3926-05		0140525361618506
Drill 2 for CS 3905, CS 3906, coupling AO	CS 3927-03		0140525361618674
Adapter for drill 2, serrated	CS 3927-04		0140525361618742
Trocar, cannulated, for drill 2	CS 3928-04		0140525361618810
Sleeve for drill 2	CS 3928-05		0140525361618988
Depth stop, adjustable	CS 3929-02		0140525360854608
Insert for Brainlab ICM4	CS 3929-04		0140525360854844
Drill guide	CS 3929-05		0140525361619046
Reference star, for use with Brainlab	CS 3929-06		0140525361619114
Depth gauge	CS 3930		0140525360854912













neon³ universal OCT spinal stabilization

Ball tip probe	CS 3931		0140525360855070
Sleeve for screwdriver	CS 3932-02		0140525360855216
Screwdriver, cannulated, with SR 15	CS 3932-04		0140525361619282
Rotating end for CS 3932-04	CS 3932-05		0140525361619350
Screwdriver, cannulated, with SR 15, coupling AO	CS 3932-06		0140525361691844
Screwdriver, cannulated, with SR 15, coupling B	CS 3932-07		0140525361700126
Screwhead adjuster	CS 3933		0140525360855452
Phantom rod	CS 3934		0140525360855520
Rod bending forceps	CS 3936-01		0140525361619596
Rod bending instrument, in situ, right	CS 3937-03		0140525361619664
Rod bending instrument, in situ, left	CS 3937-04		0140525361619732
Star grip handle for rod pusher (persuader)	CS 3938-03		0140525360856206
Inner sleeve for rod pusher (persuader)	CS 3938-04		0140525361631376
Outer sleeve for rod pusher (persuader)	CS 3938-05		0140525361689728
Rod reduction instrument	CS 3938-06		0140525361700294
Rod pusher (Rocker)	CS 3939-01		0140525361619800

neon³ universal OCT spinal stabilization

Rod holder	CS 3940-01		0140525361619978
Rod clamp	CS 3941		0140525360856510
Rod rotator	CS 3942		0140525360856688
Compression forceps	CS 3943-03		0140525361620004
Distraction forceps	CS 3943-04		0140525361620172
Screwdriver with SR 20, coupling AO	CS 3944-02		0140525360857050
Screwdriver with SR 20, self-retaining	CS 3944-03		0140525361620240
Counterpart for torque wrench	CS 3945-01		0140525361620318
Introducer for rod-rod-connector	CS 3946		0140525361620486
OC drillguide for screws, length 6 and 8mm, drill depth 8 and 10mm	CS 3950-05		0140525361766702
OC drillguide for screws, length 10 and 12mm, drill depth 12 and 14mm	CS 3950-06		0140525361766870
OC drillguide for screws, length 14 and 16mm, drill depth 16 and 18mm	CS 3950-07		0140525361766948
OC drill, rigid, Ø 4.0mm, coupling AO	CS 3951-03		0140525361767006
OC drill , flexible, Ø 4.0mm, coupling AO	CS 3951-04		0140525361767174
OC-tap, rigid, for CS 3914-50-XX, coupling AO	CS 3952-01		0140525360857814
OC-tap, flexible, for CS 3914-50-XX, coupling AO	CS 3952-02		0140525360857982

neon³ universal OCT spinal stabilization

OC plate bending clamp	CS 3954-01		0140525360858118
OC plate bender with handle	CS 3954-03		0140525361620554
OC screwdriver, flexible, self-retaining, coupling AO	CS 3955-02		0140525361700430
OC pin for plate fixation	CS 3957-01		0140525361620790
Hook inserting forceps	CS 3961		0140525360858668
Adapter for injection	CS 3962-01		0140525361620868
Measuring caliper	CS 5788		0140525360198092
Gearshift handle coupling B	CS 7150		0140525360783496
Handle S coupling B	CS 7152		0140525360783564
Handle S with torque limitation, 3.5 Nm coupling AO	CS 7154		0140525360783632
Handle L with ratchet, coupling B	CS 7155		0140525361699314
Pedicle probe with ball handle, thoracic length 230mm	UL 8527-23		0140525360529360