

















































neon³ universal OCT spinal stabilization

Locking screw	CS 3901-01		4052536084159
Screw, Ø 3.5mm, length 10mm	CS 3902-35-10		4052536084173
Screw, Ø 3.5mm, length 12mm	CS 3902-35-12		4052536084180
Screw, Ø 3.5mm, length 14mm	CS 3902-35-14		4052536084197
Screw, Ø 3.5mm, length 16mm	CS 3902-35-16		4052536084203
Screw, Ø 3.5mm, length 18mm	CS 3902-35-18		4052536084210
Screw, Ø 3.5mm, length 20mm	CS 3902-35-20		4052536084227
Screw, Ø 3.5mm, length 22mm	CS 3902-35-22		4052536161126
Screw, Ø 3.5mm, length 24mm	CS 3902-35-24		4052536161133
Screw, Ø 3.5mm, length 26mm	CS 3902-35-26		4052536161140
Screw, Ø 3.5mm, length 28mm	CS 3902-35-28		4052536161157
Screw, Ø 4.0mm, length 10mm	CS 3903-40-10		4052536084234
Screw, Ø 4.0mm, length 12mm	CS 3903-40-12		4052536084241
Screw, Ø 4.0mm, length 14mm	CS 3903-40-14		4052536084258
Screw, Ø 4.0mm, length 16mm	CS 3903-40-16		4052536084265
Screw, Ø 4.0mm, length 18mm	CS 3903-40-18		4052536084272

















neon³ universal OCT spinal stabilization

Screw, Ø 4.0mm, length 20mm	CS 3903-40-20		4052536084289
Screw, long shaft, cannulated, Ø 4.0mm, length 26mm	CS 3904-40-26		4052536084296
Screw, long shaft, cannulated, Ø 4.0mm, length 28mm	CS 3904-40-28		4052536084302
Screw, long shaft, cannulated, Ø 4.0mm, length 30mm	CS 3904-40-30		4052536084319
Screw, long shaft, cannulated, Ø 4.0mm, length 32mm	CS 3904-40-32		4052536084326
Screw, long shaft, cannulated, Ø 4.0mm, length 34mm	CS 3904-40-34		4052536084333
Screw, long shaft, cannulated, Ø 4.0mm, length 36mm	CS 3904-40-36		4052536084340
Screw, long shaft, cannulated, Ø 4.0mm, length 38mm	CS 3904-40-38		4052536161171
Screw, long shaft, cannulated, Ø 4.0mm, length 40mm	CS 3904-40-40		4052536161188
Screw, cannulated, Ø 4.0mm, length 20mm	CS 3905-40-20		4052536084357
Screw, cannulated, Ø 4.0mm, length 22mm	CS 3905-40-22		4052536084364
Screw, cannulated, Ø 4.0mm, length 24mm	CS 3905-40-24		4052536084371
Screw, cannulated, Ø 4.0mm, length 26mm	CS 3905-40-26		4052536084388
Screw, cannulated, Ø 4.0mm, length 28mm	CS 3905-40-28		4052536084395
Screw, cannulated, Ø 4.0mm, length 30mm	CS 3905-40-30		4052536084401
Screw, cannulated, Ø 4.0mm, length 32mm	CS 3905-40-32		4052536084418

















neon³ universal OCT spinal stabilization

Screw, cannulated, Ø 4.0mm, length 34mm	CS 3905-40-34		4052536084425
Screw, cannulated, Ø 4.0mm, length 36mm	CS 3905-40-36		4052536084432
Screw, cannulated, favored angle medial, Ø 4.0mm, length 20mm	CS 3906-40-20		4052536084449
Screw, cannulated, favored angle medial, Ø 4.0mm, length 22mm	CS 3906-40-22		4052536084456
Screw, cannulated, favored angle medial, Ø 4.0mm, length 24mm	CS 3906-40-24		4052536084463
Screw, cannulated, favored angle medial, Ø 4.0mm, length 26mm	CS 3906-40-26		4052536084470
Screw, cannulated, favored angle medial, Ø 4.0mm, length 28mm	CS 3906-40-28		4052536084487
Screw, cannulated, favored angle medial, Ø 4.0mm, length 30mm	CS 3906-40-30		4052536084494
Screw, cannulated, favored angle medial, Ø 4.0mm, length 32mm	CS 3906-40-32		4052536084500
Screw, cannulated, favored angle medial, Ø 4.0mm, length 34mm	CS 3906-40-34		4052536084517
Screw, cannulated, favored angle medial, Ø 4.0mm, length 36mm	CS 3906-40-36		4052536084524
Screw, cannulated, Ø 4.5mm, length 25mm	CS 3907-45-25		4052536084531
Screw, cannulated, Ø 4.5mm, length 30mm	CS 3907-45-30		4052536084548
Screw, cannulated, Ø 4.5mm, length 35mm	CS 3907-45-35		4052536084555
Screw, cannulated, Ø 4.5mm, length 40mm	CS 3907-45-40		4052536084562
Screw, cannulated, Ø 4.5mm, length 45mm	CS 3907-45-45		4052536084579

















neon³ universal OCT spinal stabilization

Screw, cannulated, Ø 4.5mm, length 50mm	CS 3907-45-50		4052536084586
Screw, cannulated, Ø 5.5mm, length 25mm, perforated	CS 3907-55-25		4052536161195
Screw, cannulated, Ø 5.5mm, length 30mm, perforated	CS 3907-55-30		4052536161201
Screw, cannulated, Ø 5.5mm, length 35mm, perforated	CS 3907-55-35		4052536161218
Screw, cannulated, Ø 5.5mm, length 40mm, perforated	CS 3907-55-40		4052536161225
Screw, cannulated, Ø 5.5mm, length 45mm, perforated	CS 3907-55-45		4052536161232
Screw, cannulated, Ø 5.5mm, length 50mm, perforated	CS 3907-55-50		4052536161249
Screw, cannulated, Ø 5.5mm, length 55mm, perforated	CS 3907-55-55		4052536161256
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 34mm	CS 3909-40-34		4052536084722
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 36mm	CS 3909-40-36		4052536084739
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 38mm	CS 3909-40-38		4052536084746
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 40mm	CS 3909-40-40		4052536084753
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 42mm	CS 3909-40-42		4052536084760
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 44mm	CS 3909-40-44		4052536084777
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 46mm	CS 3909-40-46		4052536084784
Screw, cannulated, favored angle cranial, Ø 4.0mm, length 48mm	CS 3909-40-48		4052536084791

















neon³ universal OCT spinal stabilization

Screw, cannulated, favored angle cranial, Ø 4.0mm, length 50mm	CS 3909-40-50		4052536084807
Rod, titanium alloy, Ø 4.0mm, curved, length 25mm	CS 3910-01-025		4052536168330
Rod, titanium alloy, Ø 4.0mm, curved, length 30mm	CS 3910-01-030		4052536168347
Rod, titanium alloy, Ø 4.0mm, curved, length 35mm	CS 3910-01-035		4052536168354
Rod, titanium alloy, Ø 4.0mm, curved, length 40mm	CS 3910-01-040		4052536168361
Rod, titanium alloy, Ø 4.0mm, curved, length 45mm	CS 3910-01-045		4052536168378
Rod, titanium alloy, Ø 4.0mm, curved, length 50mm	CS 3910-01-050		4052536168385
Rod, titanium alloy, Ø 4.0mm, curved, length 55mm	CS 3910-01-055		4052536168392
Rod, titanium alloy, Ø 4.0mm, curved, length 60mm	CS 3910-01-060		4052536168408
Rod, titanium alloy, Ø 4.0mm, curved, length 70mm	CS 3910-01-070		4052536168415
Rod, titanium alloy, Ø 4.0mm, curved, length 80mm	CS 3910-01-080		4052536168422
Rod, titanium alloy, Ø 4.0mm, curved, length 90mm	CS 3910-01-090		4052536168439
Rod, titanium alloy, Ø 4.0mm, curved, length 100mm	CS 3910-01-100		4052536168446
Rod, titanium alloy, Ø 4.0mm, curved, length 110mm	CS 3910-01-110		4052536168453
Rod, titanium alloy, Ø 4.0mm, curved, length 120mm	CS 3910-01-120		4052536168460
Rod, titanium alloy, Ø 4.0mm, length 20mm	CS 3910-020		4052536161263

















neon³ universal OCT spinal stabilization

Rod, titanium alloy, Ø 4.0mm, length 25mm	CS 3910-025		4052536161270
Rod, titanium alloy, Ø 4.0mm, length 30mm	CS 3910-030		4052536161287
Rod, titanium alloy, Ø 4.0mm, length 35mm	CS 3910-035		4052536161294
Rod, titanium alloy, Ø 4.0mm, length 40mm	CS 3910-040		4052536161300
Rod, titanium alloy, Ø 4.0mm, length 45mm	CS 3910-045		4052536161317
Rod, titanium alloy, Ø 4.0mm, length 50mm	CS 3910-050		4052536161324
Rod, titanium alloy, Ø 4.0mm, length 55mm	CS 3910-055		4052536161331
Rod, titanium alloy, Ø 4.0mm, length 60mm	CS 3910-060		4052536161348
Rod, titanium alloy, Ø 4.0mm, length 65mm	CS 3910-065		4052536161355
Rod, titanium alloy, Ø 4.0mm, length 70mm	CS 3910-070		4052536161362
Rod, titanium alloy, Ø 4.0mm, length 75mm	CS 3910-075		4052536161379
Rod, titanium alloy, Ø 4.0mm, length 80mm	CS 3910-080		4052536084814
Rod, titanium alloy, Ø 4.0mm, length 85mm	CS 3910-085		4052536161386
Rod, titanium alloy, Ø 4.0mm, length 90mm	CS 3910-090		4052536161393
Rod, titanium alloy, Ø 4.0mm, length 95mm	CS 3910-095		4052536161409
Rod, titanium alloy, Ø 4.0mm, length 100mm	CS 3910-100		4052536161416

















neon³ universal OCT spinal stabilization

Rod, titanium alloy, Ø 4.0mm, length 120mm	CS 3910-120		4052536084821
Rod, titanium alloy, Ø 4.0mm, length 140mm	CS 3910-140		4052536161423
Rod, titanium alloy, Ø 4.0mm, length 160mm	CS 3910-160		4052536161430
Rod, titanium alloy, Ø 4.0mm, length 200mm	CS 3910-200		4052536161447
Rod, titanium alloy, Ø 4.0mm, length 240mm, with hex end	CS 3910-240		4052536084838
Rod, CoCr, Ø 4.0mm, length 240mm, with hex end	CS 3911-240		4052536084845
Rod, CoCr, Ø 4.0mm, length 400mm, with hex end	CS 3911-400		4052536084852
OC rod, pure titanium, Ø 4.0 mm, length 240 mm with hex end, long hole	CS 3912-240		4052536084869
Occipital plate, lateral, with rod	CS 3913-05		4052536161454
Occipital plate, midline, 47mm, for rod, Ø 4.0mm	CS 3913-08		4052536161485
Occipital plate, midline, 57mm, for rod, Ø 4.0mm	CS 3913-09		4052536161492
OC rod, hinged, titanium alloy, Ø 4.0mm	CS 3913-10		4052536161508
OC-rod, titanium alloy, Ø 4.0mm, 90° curved, length 300mm (100 / 200mm)	CS 3913-40-05		4052536168477
Occipital screw, Ø 5.0mm, length 6mm, self-tapping	CS 3914-50-06		4052536113996
Occipital screw, Ø 5.0mm, length 8mm, self-tapping	CS 3914-50-08		4052536114009
Occipital screw, Ø 5.0mm, length 10mm, self-tapping	CS 3914-50-10		4052536114016

















neon³ universal OCT spinal stabilization

Occipital screw, Ø 5.0mm, length 12mm, self-tapping	CS 3914-50-12		4052536114023
Occipital screw, Ø 5.0mm, length 14mm, self-tapping	CS 3914-50-14		4052536114030
Occipital screw, Ø 5.0mm, length 16mm, self-tapping	CS 3914-50-16		4052536114047
Rod, for atlas claw, Ø 4.0mm	CS 3915-01		4052536085019
Counter hook for atlas claw, Ø 4.0mm	CS 3915-02		4052536085026
Counter hook, long, for atlas claw, Ø 4.0mm	CS 3915-03		4052536161560
Hook, straight, short	CS 3916-01		4052536085033
Hook, straight, long	CS 3916-02		4052536085040
Hook, right	CS 3916-03		4052536085057
Hook, left	CS 3916-04		4052536085064
Crosslink, rod to rod, S, length 34 - 44mm	CS 3917-05		4052536161577
Crosslink, rod to rod, M, length 39 - 49mm	CS 3917-06		4052536161584
Crosslink, rod to rod, L, length 44 - 59mm	CS 3917-07		4052536161591
Crosslink, screw to screw, S	CS 3917-08		4052536161607
Crosslink, screw to screw, M	CS 3917-09		4052536161614
Crosslink, screw to screw, L	CS 3917-10		4052536161621

















neon³ universal OCT spinal stabilization

Locking screw with adapter for crosslink, screw-to-screw	CS 3917-11		4052536169344
Locking screw for crosslink, screw-to-screw	CS 3917-12		4052536169375
Crosslink, rod-to-rod, small, S, length 34 - 44mm	CS 3917-21		4052536168484
Crosslink, rod-to-rod, small, M, length 39 - 49mm	CS 3917-22		4052536168491
Crosslink, rod-to-rod, small, L, length 44 - 59mm	CS 3917-23		4052536168507
Cable connector	CS 3918-01		4052536085118
Offset connector, square	CS 3918-02-02		4052536085132
Offset connector, square, long	CS 3918-02-03		4052536161638
Offset connector, parallel, right, length 7mm	CS 3918-06-07		4052536161652
Offset connector, parallel, right, length 9mm	CS 3918-06-09		4052536161669
Offset connector, parallel, right, length 11mm	CS 3918-06-11		4052536161676
Offset connector, parallel, right, length 14mm	CS 3918-06-14		4052536161683
Offset connector, parallel, right, length 17mm	CS 3918-06-17		4052536161690
Offset connector, parallel, right, length 20mm	CS 3918-06-20		4052536161706
Offset connector, parallel, left, length 7mm	CS 3918-07-07		4052536161713
Offset connector, parallel, left, length 9mm	CS 3918-07-09		4052536161720

















neon³ universal OCT spinal stabilization

Offset connector, parallel, left, length 11mm	CS 3918-07-11		4052536161737
Offset connector, parallel, left, length 14mm	CS 3918-07-14		4052536161744
Offset connector, parallel, left, length 17mm	CS 3918-07-17		4052536161751
Offset connector, parallel, left, length 20mm	CS 3918-07-20		4052536161768
Rod-rod-connector, cervicothoracic, axial	CS 3919-01		4052536085286
Rod-rod-connector, cervicothoracic, parallel	CS 3919-02		4052536085293
Insertor for hooks	CS 1466		4052536007899
Handle for adapter for injection	CS 3850-03		4052536081684
Awl	CS 3920-01		4052536161775
Probe, cannulated, for screws Ø 4.5 / 5.5mm, coupling B	CS 3921-01		4052536085316
Trocar tipped wire for probe, thoracic	CS 3921-02		4052536085323
Trocar tipped drill wire, Ø 1.5mm, length 410mm	CS 3922-410		4052536085330
Trocar, cannulated, for trocar drill wire, Ø 1.5mm	CS 3923-01		4052536085347
Sleeve for trocar tipped drill wire	CS 3923-02		4052536085354
Guide wire, blunt, Ø 1.5mm, length 410mm	CS 3924-410		4052536085361
Cutter with handle, cannulated, Ø 3.0mm	CS 3925-01		4052536161782

















neon³ universal OCT spinal stabilization

Tap, for screws Ø 3.5mm, coupling B	CS 3925-02		4052536161799
Tap, for screws Ø 4.0mm, coupling B	CS 3925-03		4052536161805
Tap, for screws Ø 4.5mm, coupling B	CS 3925-04		4052536161812
Tap, cannulated, for screws Ø 5.5mm, coupling B	CS 3925-05		4052536161829
Drill 1 for CS 3902, CS 3903, CS 3904, coupling AO	CS 3926-03		4052536161836
Adapter for drill 1, blunt	CS 3926-04		4052536161843
Adapter for drill 1, serrated	CS 3926-05		4052536161850
Drill 2 for CS 3905, CS 3906, coupling AO	CS 3927-03		4052536161867
Adapter for drill 2, serrated	CS 3927-04		4052536161874
Trocar, cannulated, for drill 2	CS 3928-04		4052536161881
Sleeve for drill 2	CS 3928-05		4052536161898
Depth stop, adjustable	CS 3929-02		4052536085460
Insert for Brainlab ICM4	CS 3929-04		4052536085484
Drill guide	CS 3929-05		4052536161904
Reference star, for use with Brainlab	CS 3929-06		4052536161911
Depth gauge	CS 3930		4052536085491













neon³ universal OCT spinal stabilization

Ball tip probe	CS 3931		4052536085507
Sleeve for screwdriver	CS 3932-02		4052536085521
Screwdriver, cannulated, with SR 15	CS 3932-04		4052536161928
Rotating end for CS 3932-04	CS 3932-05		4052536161935
Screwdriver, cannulated, with SR 15, coupling AO	CS 3932-06		4052536169184
Screwdriver, cannulated, with SR 15, coupling B	CS 3932-07		4052536170012
Screwhead adjuster	CS 3933		4052536085545
Phantom rod	CS 3934		4052536085552
Rod bending forceps	CS 3936-01		4052536161959
Rod bending instrument, in situ, right	CS 3937-03		4052536161966
Rod bending instrument, in situ, left	CS 3937-04		4052536161973
Star grip handle for rod pusher (persuader)	CS 3938-03		4052536085620
Inner sleeve for rod pusher (persuader)	CS 3938-04		4052536163137
Outer sleeve for rod pusher (persuader)	CS 3938-05		4052536168972
Rod reduction instrument	CS 3938-06		4052536170029
Rod pusher (Rocker)	CS 3939-01		4052536161980

neon³ universal OCT spinal stabilization

Rod holder	CS 3940-01		4052536161997
Rod clamp	CS 3941		4052536085651
Rod rotator	CS 3942		4052536085668
Compression forceps	CS 3943-03		4052536162000
Distraction forceps	CS 3943-04		4052536162017
Screwdriver with SR 20, coupling AO	CS 3944-02		4052536085705
Screwdriver with SR 20, self-retaining	CS 3944-03		4052536162024
Counterpart for torque wrench	CS 3945-01		4052536162031
Introducer for rod-rod-connector	CS 3946		4052536162048
OC drillguide for screws, length 6 and 8mm, drill depth 8 and 10mm	CS 3950-05		4052536176670
OC drillguide for screws, length 10 and 12mm, drill depth 12 and 14mm	CS 3950-06		4052536176687
OC drillguide for screws, length 14 and 16mm, drill depth 16 and 18mm	CS 3950-07		4052536176694
OC drill, rigid, Ø 4.0mm, coupling AO	CS 3951-03		4052536176700
OC drill , flexible, Ø 4.0mm, coupling AO	CS 3951-04		4052536176717
OC-tap, rigid, for CS 3914-50-XX, coupling AO	CS 3952-01		4052536085781
OC-tap, flexible, for CS 3914-50-XX, coupling AO	CS 3952-02		4052536085798

neon³ universal OCT spinal stabilization

OC plate bending clamp	CS 3954-01		4052536085811
OC plate bender with handle	CS 3954-03		4052536162055
OC screwdriver, flexible, self-retaining, coupling AO	CS 3955-02		4052536170043
OC pin for plate fixation	CS 3957-01		4052536162079
Hook inserting forceps	CS 3961		4052536085866
Adapter for injection	CS 3962-01		4052536162086
Measuring caliper	CS 5788		4052536019809
Gearshift handle coupling B	CS 7150		4052536078349
Handle S coupling B	CS 7152		4052536078356
Handle S with torque limitation, 3.5 Nm coupling AO	CS 7154		4052536078363
Handle L with ratchet, coupling B	CS 7155		4052536169931
Pedicle probe with ball handle, thoracic length 230mm	UL 8527-23		4052536052936