










































uCentum comprehensive posterior system

Locking screw	CS 3801-01		4052536078646
Locking screw for screw, pre-fixation	CS 3801-02		4052536078653
Screw, polyaxial, Ø 4.5mm length 25mm, cannulated	CS 3802-045-025		4052536078677
Screw, polyaxial, Ø 4.5mm length 30mm, cannulated	CS 3802-045-030		4052536078684
Screw, polyaxial, Ø 4.5mm length 35mm, cannulated	CS 3802-045-035		4052536078691
Screw, polyaxial, Ø 4.5mm length 40mm, cannulated	CS 3802-045-040		4052536078707
Screw, polyaxial, Ø 4.5mm length 45mm, cannulated	CS 3802-045-045		4052536078714
Screw, polyaxial, Ø 4.5mm length 50mm, cannulated	CS 3802-045-050		4052536078721
Screw, polyaxial, Ø 5.5mm length 25mm, cannulated & fenestrated	CS 3802-055-025		4052536078738
Screw, polyaxial, Ø 5.5mm length 30mm, cannulated & fenestrated	CS 3802-055-030		4052536078745
Screw, polyaxial, Ø 5.5mm length 35mm, cannulated & fenestrated	CS 3802-055-035		4052536078752
Screw, polyaxial, Ø 5.5mm length 40mm, cannulated & fenestrated	CS 3802-055-040		4052536078769
Screw, polyaxial, Ø 5.5mm length 45mm, cannulated & fenestrated	CS 3802-055-045		4052536078776
Screw, polyaxial, Ø 5.5mm length 50mm, cannulated & fenestrated	CS 3802-055-050		4052536078783
Screw, polyaxial, Ø 5.5mm length 55mm, cannulated & fenestrated	CS 3802-055-055		4052536078790
Screw, polyaxial, Ø 6.5mm length 30mm, cannulated & fenestrated	CS 3802-065-030		4052536078806

















uCentum comprehensive posterior system

Screw, polyaxial, Ø 6.5mm length 35mm, cannulated & fenestrated	CS 3802-065-035		4052536078813
Screw, polyaxial, Ø 6.5mm length 40mm, cannulated & fenestrated	CS 3802-065-040		4052536078820
Screw, polyaxial, Ø 6.5mm length 45mm, cannulated & fenestrated	CS 3802-065-045		4052536078837
Screw, polyaxial, Ø 6.5mm length 50mm, cannulated & fenestrated	CS 3802-065-050		4052536078844
Screw, polyaxial, Ø 6.5mm length 55mm, cannulated & fenestrated	CS 3802-065-055		4052536078851
Screw, polyaxial, Ø 6.5mm length 60mm, cannulated & fenestrated	CS 3802-065-060		4052536078868
Screw, polyaxial, Ø 7.5mm length 35mm, cannulated & fenestrated	CS 3802-075-035		4052536078875
Screw, polyaxial, Ø 7.5mm length 40mm, cannulated & fenestrated	CS 3802-075-040		4052536078882
Screw, polyaxial, Ø 7.5mm length 45mm, cannulated & fenestrated	CS 3802-075-045		4052536078899
Screw, polyaxial, Ø 7.5mm length 50mm, cannulated & fenestrated	CS 3802-075-050		4052536078905
Screw, polyaxial, Ø 7.5mm length 55mm, cannulated & fenestrated	CS 3802-075-055		4052536078912
Screw, polyaxial, Ø 7.5mm length 60mm, cannulated & fenestrated	CS 3802-075-060		4052536078929
Screw, polyaxial, Ø 8.5mm length 35mm, cannulated & fenestrated	CS 3802-085-035		4052536078936
Screw, polyaxial, Ø 8.5mm length 40mm, cannulated & fenestrated	CS 3802-085-040		4052536078943
Screw, polyaxial, Ø 8.5mm length 45mm, cannulated & fenestrated	CS 3802-085-045		4052536078950
Screw, polyaxial, Ø 8.5mm length 50mm, cannulated & fenestrated	CS 3802-085-050		4052536078967

















uCentum comprehensive posterior system

Screw, polyaxial, Ø 8.5mm length 55mm, cannulated & fenestrated	CS 3802-085-055		4052536078974
Screw, polyaxial, Ø 8.5mm length 60mm, cannulated & fenestrated	CS 3802-085-060		4052536078981
Screw, polyaxial, Ø 10.0mm length 45mm, cannulated & fenestrated	CS 3802-100-045		4052536078998
Screw, polyaxial, Ø 10.0mm length 50mm, cannulated & fenestrated	CS 3802-100-050		4052536079001
Screw, polyaxial, Ø 10.0mm length 55mm, cannulated & fenestrated	CS 3802-100-055		4052536079018
Screw, polyaxial, Ø 10.0mm length 60mm, cannulated & fenestrated	CS 3802-100-060		4052536079025
Screw, pre-fixation, Ø 4.5mm length 25mm, cannulated	CS 3804-045-025		4052536079391
Screw, pre-fixation, Ø 4.5mm length 30mm, cannulated	CS 3804-045-030		4052536079407
Screw, pre-fixation, Ø 4.5mm length 35mm, cannulated	CS 3804-045-035		4052536079414
Screw, pre-fixation, Ø 4.5mm length 40mm, cannulated	CS 3804-045-040		4052536079421
Screw, pre-fixation, Ø 4.5mm length 45mm, cannulated	CS 3804-045-045		4052536079438
Screw, pre-fixation, Ø 4.5mm length 50mm, cannulated	CS 3804-045-050		4052536079445
Screw, pre-fixation, Ø 5.5mm length 25mm, cannulated & fenestrated	CS 3804-055-025		4052536079452
Screw, pre-fixation, Ø 5.5mm length 30mm, cannulated & fenestrated	CS 3804-055-030		4052536079469
Screw, pre-fixation, Ø 5.5mm length 35mm, cannulated & fenestrated	CS 3804-055-035		4052536079476
Screw, pre-fixation, Ø 5.5mm length 40mm, cannulated & fenestrated	CS 3804-055-040		4052536079483

















uCentum comprehensive posterior system

Screw, pre-fixation, Ø 5.5mm length 45mm, cannulated & fenestrated	CS 3804-055-045		4052536079490
Screw, pre-fixation, Ø 5.5mm length 50mm, cannulated & fenestrated	CS 3804-055-050		4052536079506
Screw, pre-fixation, Ø 5.5mm length 55mm, cannulated & fenestrated	CS 3804-055-055		4052536079513
Screw, pre-fixation, Ø 6.5mm length 30mm, cannulated & fenestrated	CS 3804-065-030		4052536079520
Screw, pre-fixation, Ø 6.5mm length 35mm, cannulated & fenestrated	CS 3804-065-035		4052536079537
Screw, pre-fixation, Ø 6.5mm length 40mm, cannulated & fenestrated	CS 3804-065-040		4052536079544
Screw, pre-fixation, Ø 6.5mm length 45mm, cannulated & fenestrated	CS 3804-065-045		4052536079551
Screw, pre-fixation, Ø 6.5mm length 50mm, cannulated & fenestrated	CS 3804-065-050		4052536079568
Screw, pre-fixation, Ø 6.5mm length 55mm, cannulated & fenestrated	CS 3804-065-055		4052536079575
Screw, pre-fixation, Ø 6.5mm length 60mm, cannulated & fenestrated	CS 3804-065-060		4052536079582
Screw, pre-fixation, Ø 7.5mm length 35mm, cannulated & fenestrated	CS 3804-075-035		4052536079599
Screw, pre-fixation, Ø 7.5mm length 40mm, cannulated & fenestrated	CS 3804-075-040		4052536079605
Screw, pre-fixation, Ø 7.5mm length 45mm, cannulated & fenestrated	CS 3804-075-045		4052536079612
Screw, pre-fixation, Ø 7.5mm length 50mm, cannulated & fenestrated	CS 3804-075-050		4052536079629
Screw, pre-fixation, Ø 7.5mm length 55mm, cannulated & fenestrated	CS 3804-075-055		4052536079636
Screw, pre-fixation, Ø 7.5mm length 60mm, cannulated & fenestrated	CS 3804-075-060		4052536079643

















uCentum comprehensive posterior system

Screw, pre-fixation, Ø 8.5mm length 35mm, cannulated & fenestrated	CS 3804-085-035		4052536079650
Screw, pre-fixation, Ø 8.5mm length 40mm, cannulated & fenestrated	CS 3804-085-040		4052536079667
Screw, pre-fixation, Ø 8.5mm length 45mm, cannulated & fenestrated	CS 3804-085-045		4052536079674
Screw, pre-fixation, Ø 8.5mm length 50mm, cannulated & fenestrated	CS 3804-085-050		4052536079681
Screw, pre-fixation, Ø 8.5mm length 55mm, cannulated & fenestrated	CS 3804-085-055		4052536079698
Screw, pre-fixation, Ø 8.5mm length 60mm, cannulated & fenestrated	CS 3804-085-060		4052536079704
Screw, pre-fixation, Ø 10.0mm length 45mm, cannulated & fenestrated	CS 3804-100-045		4052536079711
Screw, pre-fixation, Ø 10.0mm length 50mm, cannulated & fenestrated	CS 3804-100-050		4052536079728
Screw, pre-fixation, Ø 10.0mm length 55mm, cannulated & fenestrated	CS 3804-100-055		4052536079735
Screw, pre-fixation, Ø 10.0mm length 60mm, cannulated & fenestrated	CS 3804-100-060		4052536079742
Reduction screw, pre-fixation, Ø 5.5mm length 25mm, cannulated & fenestrated	CS 3805-055-025		4052536079759
Reduction screw, pre-fixation, Ø 5.5mm length 30mm, cannulated & fenestrated	CS 3805-055-030		4052536079766
Reduction screw, pre-fixation, Ø 5.5mm length 35mm, cannulated & fenestrated	CS 3805-055-035		4052536079773
Reduction screw, pre-fixation, Ø 5.5mm length 40mm, cannulated & fenestrated	CS 3805-055-040		4052536079780
Reduction screw, pre-fixation, Ø 5.5mm length 45mm, cannulated & fenestrated	CS 3805-055-045		4052536079797
Reduction screw, pre-fixation, Ø 5.5mm length 50mm, cannulated & fenestrated	CS 3805-055-050		4052536079803

















uCentum comprehensive posterior system

Reduction screw, pre-fixation, Ø 5.5mm length 55mm, cannulated & fenestrated	CS 3805-055-055		4052536079810
Reduction screw, pre-fixation, Ø 6.5mm length 30mm, cannulated & fenestrated	CS 3805-065-030		4052536079827
Reduction screw, pre-fixation, Ø 6.5mm length 35mm, cannulated & fenestrated	CS 3805-065-035		4052536079834
Reduction screw, pre-fixation, Ø 6.5mm length 40mm, cannulated & fenestrated	CS 3805-065-040		4052536079841
Reduction screw, pre-fixation, Ø 6.5mm length 45mm, cannulated & fenestrated	CS 3805-065-045		4052536079858
Reduction screw, pre-fixation, Ø 6.5mm length 50mm, cannulated & fenestrated	CS 3805-065-050		4052536079865
Reduction screw, pre-fixation, Ø 6.5mm length 55mm, cannulated & fenestrated	CS 3805-065-055		4052536079872
Reduction screw, pre-fixation, Ø 6.5mm length 60mm, cannulated & fenestrated	CS 3805-065-060		4052536079889
Reduction screw, pre-fixation, Ø 7.5mm length 35mm, cannulated & fenestrated	CS 3805-075-035		4052536079896
Reduction screw, pre-fixation, Ø 7.5mm length 40mm, cannulated & fenestrated	CS 3805-075-040		4052536079902
Reduction screw, pre-fixation, Ø 7.5mm length 45mm, cannulated & fenestrated	CS 3805-075-045		4052536079919
Reduction screw, pre-fixation, Ø 7.5mm length 50mm, cannulated & fenestrated	CS 3805-075-050		4052536079926
Reduction screw, pre-fixation, Ø 7.5mm length 55mm, cannulated & fenestrated	CS 3805-075-055		4052536079933
Reduction screw, pre-fixation, Ø 7.5mm length 60mm, cannulated & fenestrated	CS 3805-075-060		4052536079940
Reduction screw, pre-fixation, Ø 8.5mm length 35mm, cannulated & fenestrated	CS 3805-085-035		4052536079957
Reduction screw, pre-fixation, Ø 8.5mm length 40mm, cannulated & fenestrated	CS 3805-085-040		4052536079964

















uCentum comprehensive posterior system

Reduction screw, pre-fixation, Ø 8.5mm length 45mm, cannulated & fenestrated	CS 3805-085-045		4052536079971
Reduction screw, pre-fixation, Ø 8.5mm length 50mm, cannulated & fenestrated	CS 3805-085-050		4052536079988
Reduction screw, pre-fixation, Ø 8.5mm length 55mm, cannulated & fenestrated	CS 3805-085-055		4052536079995
Reduction screw, pre-fixation, Ø 8.5mm length 60mm, cannulated & fenestrated	CS 3805-085-060		4052536080007
Rod, Ø 6.0mm straight, length 30mm, open approach	CS 3807-030		4052536080137
Rod, Ø 6.0mm straight, length 35mm, open approach	CS 3807-035		4052536080144
Rod, Ø 6.0mm straight, length 40mm, open approach	CS 3807-040		4052536080151
Rod, Ø 6.0mm straight, length 45mm, open approach	CS 3807-045		4052536080168
Rod, Ø 6.0mm straight, length 50mm, open approach	CS 3807-050		4052536080175
Rod, Ø 6.0mm straight, length 55mm, open approach	CS 3807-055		4052536080182
Rod, Ø 6.0mm straight, length 60mm, open approach	CS 3807-060		4052536080199
Rod, Ø 6.0mm straight, length 65mm, open approach	CS 3807-065		4052536080205
Rod, Ø 6.0mm straight, length 70mm, open approach	CS 3807-070		4052536080212
Rod, Ø 6.0mm straight, length 75mm, open approach	CS 3807-075		4052536080229
Rod, Ø 6.0mm straight, length 80mm, open approach	CS 3807-080		4052536080236
Rod, Ø 6.0mm straight, length 85mm, open approach	CS 3807-085		4052536080243

















uCentum comprehensive posterior system

Rod, Ø 6.0mm straight, length 90mm, open approach	CS 3807-090		4052536080250
Rod, Ø 6.0mm straight, length 95mm, open approach	CS 3807-095		4052536080267
Rod, Ø 6.0mm straight, length 100mm, open approach	CS 3807-100		4052536080274
Rod, Ø 6.0mm straight, length 110mm, open approach	CS 3807-110		4052536080281
Rod, Ø 6.0mm straight, length 120mm, open approach	CS 3807-120		4052536080298
Rod, Ø 6.0mm straight, length 132mm, open approach	CS 3807-132		4052536080304
Rod, Ø 6.0mm straight, length 144mm, open approach	CS 3807-144		4052536080311
Rod, Ø 6.0mm straight, length 156mm, open approach	CS 3807-156		4052536080328
Rod, Ø 6.0mm straight, length 168mm, open approach	CS 3807-168		4052536080335
Rod, Ø 6.0mm straight, length 180mm, open approach	CS 3807-180		4052536080342
Rod, Ø 6.0mm straight, length 200mm, hex end, open approach	CS 3807-200		4052536080359
Rod, Ø 6.0mm straight, length 300mm, hex end, open approach	CS 3807-300		4052536080366
Rod, Ø 6.0mm straight, length 400mm, hex end, open approach	CS 3807-400		4052536080373
Rod, Ø 6.0mm straight, length 500mm, hex end, open approach	CS 3807-500		4052536080380
Rod, Ø 6.0mm straight, length 30mm, percutaneous approach	CS 3808-030		4052536080397
Rod, Ø 6.0mm straight, length 35mm, percutaneous approach	CS 3808-035		4052536080403

















uCentum comprehensive posterior system

Rod, Ø 6.0mm straight, length 40mm, percutaneous approach	CS 3808-040		4052536080410
Rod, Ø 6.0mm straight, length 45mm, percutaneous approach	CS 3808-045		4052536080427
Rod, Ø 6.0mm straight, length 50mm, percutaneous approach	CS 3808-050		4052536080434
Rod, Ø 6.0mm straight, length 55mm, percutaneous approach	CS 3808-055		4052536080441
Rod, Ø 6.0mm straight, length 60mm, percutaneous approach	CS 3808-060		4052536080458
Rod, Ø 6.0mm straight, length 65mm, percutaneous approach	CS 3808-065		4052536080465
Rod, Ø 6.0mm straight, length 70mm, percutaneous approach	CS 3808-070		4052536080472
Rod, Ø 6.0mm straight, length 75mm, percutaneous approach	CS 3808-075		4052536080489
Rod, Ø 6.0mm straight, length 80mm, percutaneous approach	CS 3808-080		4052536080496
Rod, Ø 6.0mm straight, length 85mm, percutaneous approach	CS 3808-085		4052536080502
Rod, Ø 6.0mm straight, length 90mm, percutaneous approach	CS 3808-090		4052536080519
Rod, Ø 6.0mm straight, length 95mm, percutaneous approach	CS 3808-095		4052536080526
Rod, Ø 6.0mm straight, length 100mm, percutaneous approach	CS 3808-100		4052536080533
Rod, Ø 6.0mm straight, length 110mm, percutaneous approach	CS 3808-110		4052536080540
Rod, Ø 6.0mm straight, length 120mm, percutaneous approach	CS 3808-120		4052536080557
Rod, Ø 6.0mm straight, length 132mm, percutaneous approach	CS 3808-132		4052536080564

















uCentum comprehensive posterior system

Rod, Ø 6.0mm straight, length 144mm, percutaneous approach	CS 3808-144		4052536080571
Rod, Ø 6.0mm straight, length 156mm, percutaneous approach	CS 3808-156		4052536080588
Rod, Ø 6.0mm straight, length 168mm, percutaneous approach	CS 3808-168		4052536080595
Rod, Ø 6.0mm straight, length 180mm, percutaneous approach	CS 3808-180		4052536080601
Rod, Ø 6.0mm straight, length 200mm, percutaneous approach	CS 3808-200		4052536080618
Rod, Ø 6.0mm straight, length 300mm, percutaneous approach	CS 3808-300		4052536080625
Rod, Ø 6.0mm straight, length 400mm, percutaneous approach	CS 3808-400		4052536080632
Rod, Ø 6.0mm straight, length 500mm, percutaneous approach	CS 3808-500		4052536080649
Rod, Ø 6.0mm curved, length 30mm, percutaneous approach	CS 3809-030		4052536080656
Rod, Ø 6.0mm curved, length 35mm, percutaneous approach	CS 3809-035		4052536080663
Rod, Ø 6.0mm curved, length 40mm, percutaneous approach	CS 3809-040		4052536080670
Rod, Ø 6.0mm curved, length 45mm, percutaneous approach	CS 3809-045		4052536080687
Rod, Ø 6.0mm curved, length 50mm, percutaneous approach	CS 3809-050		4052536080694
Rod, Ø 6.0mm curved, length 55mm, percutaneous approach	CS 3809-055		4052536080700
Rod, Ø 6.0mm curved, length 60mm, percutaneous approach	CS 3809-060		4052536080717
Rod, Ø 6.0mm curved, length 65mm, percutaneous approach	CS 3809-065		4052536080724

















uCentum comprehensive posterior system

Rod, Ø 6.0mm curved, length 70mm, percutaneous approach	CS 3809-070		4052536080731
Rod, Ø 6.0mm curved, length 75mm, percutaneous approach	CS 3809-075		4052536080748
Rod, Ø 6.0mm curved, length 80mm, percutaneous approach	CS 3809-080		4052536080755
Crosslink variable, XS,, length 41 - 56mm	CS 3810-01		4052536080854
Crosslink variable, S,, length 53 - 68mm	CS 3810-02		4052536080861
crosslink variable, M,, length 66 - 80mm	CS 3810-03		4052536080878
Crosslink variable, L,, length 78 - 94mm	CS 3810-04		4052536080885
Crosslink variable, XL,, length 92 - 107mm	CS 3810-05		4052536080892
Crosslink with hook, variable, XS,, length 35 - 46mm	CS 3810-10		4052536169870
Crosslink with hook, variable, S,, length 44 - 54mm	CS 3810-11		4052536169863
Crosslink with hook, variable, M,, length 52 - 62mm	CS 3810-12		4052536169887
Crosslink with hook, variable, L,, length 60 - 85mm	CS 3810-13		4052536169894
Crosslink with hook, variable, XL,, length 83 - 106mm	CS 3810-14		4052536169900
Screw, polyaxial, Ø 5.5mm length 25mm, non-cannulated	CS 3882-055-025		4052536082124
Screw, polyaxial, Ø 5.5mm length 30mm, non-cannulated	CS 3882-055-030		4052536082131
Screw, polyaxial, Ø 5.5mm length 35mm, non-cannulated	CS 3882-055-035		4052536082148

















uCentum comprehensive posterior system

Screw, polyaxial, Ø 5.5mm length 40mm, non-cannulated	CS 3882-055-040		4052536082155
Screw, polyaxial, Ø 5.5mm length 45mm, non-cannulated	CS 3882-055-045		4052536082162
Screw, polyaxial, Ø 5.5mm length 50mm, non-cannulated	CS 3882-055-050		4052536082179
Screw, polyaxial, Ø 5.5mm length 55mm, non-cannulated	CS 3882-055-055		4052536082186
Screw, polyaxial, Ø 6.5mm length 30mm, non-cannulated	CS 3882-065-030		4052536082193
Screw, polyaxial, Ø 6.5mm length 35mm, non-cannulated	CS 3882-065-035		4052536082209
Screw, polyaxial, Ø 6.5mm length 40mm, non-cannulated	CS 3882-065-040		4052536082216
Screw, polyaxial, Ø 6.5mm length 45mm, non-cannulated	CS 3882-065-045		4052536082223
Screw, polyaxial, Ø 6.5mm length 50mm, non-cannulated	CS 3882-065-050		4052536082230
Screw, polyaxial, Ø 6.5mm length 55mm, non-cannulated	CS 3882-065-055		4052536082247
Screw, polyaxial, Ø 6.5mm length 60mm, non-cannulated	CS 3882-065-060		4052536082254
Screw, polyaxial, Ø 7.5mm length 35mm, non-cannulated	CS 3882-075-035		4052536082261
Screw, polyaxial, Ø 7.5mm length 40mm, non-cannulated	CS 3882-075-040		4052536082278
Screw, polyaxial, Ø 7.5mm length 45mm, non-cannulated	CS 3882-075-045		4052536082285
Screw, polyaxial, Ø 7.5mm length 50mm, non-cannulated	CS 3882-075-050		4052536082292
Screw, polyaxial, Ø 7.5mm length 55mm, non-cannulated	CS 3882-075-055		4052536082308

















uCentum comprehensive posterior system

Screw, polyaxial, Ø 7.5mm length 60mm, non-cannulated	CS 3882-075-060		4052536082315
Screw, polyaxial, Ø 8.5mm length 35mm, non-cannulated	CS 3882-085-035		4052536082322
Screw, polyaxial, Ø 8.5mm length 40mm, non-cannulated	CS 3882-085-040		4052536082339
Screw, polyaxial, Ø 8.5mm length 45mm, non-cannulated	CS 3882-085-045		4052536082346
Screw, polyaxial, Ø 8.5mm length 50mm, non-cannulated	CS 3882-085-050		4052536082353
Screw, polyaxial, Ø 8.5mm length 55mm, non-cannulated	CS 3882-085-055		4052536082360
Screw, polyaxial, Ø 8.5mm length 60mm, non-cannulated	CS 3882-085-060		4052536082377
Screw, polyaxial, Ø 10.0mm length 45mm, non-cannulated	CS 3882-100-045		4052536082384
Screw, polyaxial, Ø 10.0mm length 50mm, non-cannulated	CS 3882-100-050		4052536082391
Screw, polyaxial, Ø 10.0mm length 55mm, non-cannulated	CS 3882-100-055		4052536082407
Screw, polyaxial, Ø 10.0mm length 60mm, non-cannulated	CS 3882-100-060		4052536082414
Reduction screw, polyaxial, Ø 5.5mm length 25mm, non-cannulated	CS 3885-055-025		4052536083022
Reduction screw, polyaxial, Ø 5.5mm length 30mm, non-cannulated	CS 3885-055-030		4052536083039
Reduction screw, polyaxial, Ø 5.5mm length 35mm, non-cannulated	CS 3885-055-035		4052536083046
Reduction screw, polyaxial, Ø 5.5mm length 40mm, non-cannulated	CS 3885-055-040		4052536083053
Reduction screw, polyaxial, Ø 5.5mm length 45mm, non-cannulated	CS 3885-055-045		4052536083060

















uCentum comprehensive posterior system

Reduction screw, polyaxial, Ø 5.5mm length 50mm, non-cannulated	CS 3885-055-050		4052536083077
Reduction screw, polyaxial, Ø 5.5mm length 55mm, non-cannulated	CS 3885-055-055		4052536083084
Reduction screw, polyaxial, Ø 6.5mm length 30mm, non-cannulated	CS 3885-065-030		4052536083091
Reduction screw, polyaxial, Ø 6.5mm length 35mm, non-cannulated	CS 3885-065-035		4052536083107
Reduction screw, polyaxial, Ø 6.5mm length 40mm, non-cannulated	CS 3885-065-040		4052536083114
Reduction screw, polyaxial, Ø 6.5mm length 45mm, non-cannulated	CS 3885-065-045		4052536083121
Reduction screw, polyaxial, Ø 6.5mm length 50mm, non-cannulated	CS 3885-065-050		4052536083138
Reduction screw, polyaxial, Ø 6.5mm length 55mm, non-cannulated	CS 3885-065-055		4052536083145
Reduction screw, polyaxial, Ø 6.5mm length 60mm, non-cannulated	CS 3885-065-060		4052536083152
Reduction screw, polyaxial, Ø 7.5mm length 35mm, non-cannulated	CS 3885-075-035		4052536083169
Reduction screw, polyaxial, Ø 7.5mm length 40mm, non-cannulated	CS 3885-075-040		4052536083176
Reduction screw, polyaxial, Ø 7.5mm length 45mm, non-cannulated	CS 3885-075-045		4052536083183
Reduction screw, polyaxial, Ø 7.5mm length 50mm, non-cannulated	CS 3885-075-050		4052536083190
Reduction screw, polyaxial, Ø 7.5mm length 55mm, non-cannulated	CS 3885-075-055		4052536083206
Reduction screw, polyaxial, Ø 7.5mm length 60mm, non-cannulated	CS 3885-075-060		4052536083213
Guide wire, Ø 1.5mm length 500mm	CS 2624		4052536010585
















uCentum comprehensive posterior system

Awl, cannulated, for screws Ø 4.5/5.5mm	CS 3018-04		4052536014002
Awl, cannulated, for screws Ø 6.5mm	CS 3018-05		4052536014019
Awl, cannulated, for screws Ø 7.5mm	CS 3018-06		4052536014026
Awl, cannulated, for screws Ø 8.5mm	CS 3018-07		4052536014033
Screwdriver, cannulated, hex 3.5mm	CS 3020-01		4052536014057
Rod holder, length 190mm	CS 3024		4052536014118
Guide wire, blunt, Ø 1.5mm length 150mm	CS 3031-150		4052536014170
Awl, length 300mm	CS 3033		4052536014262
Dilator S and gauge for screw length	CS 3820-01		4052536081066
Dilator M	CS 3820-02		4052536081073
Dilator L	CS 3820-03		4052536081080
Trocar wire	CS 3821-01		4052536081097
Trocar wire, blunt	CS 3821-02		4052536081103
Threaded element for guidewire holder	CS 3822-01		4052536081110
Handle for guidewire holder	CS 3822-02		4052536081127
Awl, cannulated, for screws Ø 10.0mm, coupling A	CS 3823-100		4052536081134

















uCentum comprehensive posterior system

Tap, for screws Ø 4.5mm, coupling A	CS 3824-045		4052536081141
Tap, cannulated, for screws Ø 5.5mm, coupling A	CS 3824-055		4052536081158
Tap, cannulated, for screws Ø 6.5mm, coupling A	CS 3824-065		4052536081165
Tap, cannulated, for screws Ø 7.5mm, coupling A	CS 3824-075		4052536081172
Tap, cannulated, for screws Ø 8.5mm, coupling A	CS 3824-085		4052536081189
Tap, cannulated, for screws Ø 10.0mm, coupling A	CS 3824-100		4052536081196
Screwdriver, open, cannulated, hex 3.5mm, coupling A	CS 3825-01		4052536081202
Protection sleeve	CS 3825-02		4052536081219
Protection sleeve for Reduction screw	CS 3825-03		4052536081226
Screwdriver, percutaneous, cannulated, hex 3.5mm, coupling A	CS 3826		4052536081233
Screw head adjuster	CS 3827		4052536081240
Rod pusher with spring, percutaneous	CS 3829		4052536081257
Rod pusher with spring, percutaneous, for screws, pre-fixation	CS 3829-01		4052536123261
Guide sleeve	CS 3830		4052536081264
Outer sleeve for guide sleeve	CS 3830-01		4052536081271
Stamp for guide sleeve	CS 3830-02		4052536081288















uCentum comprehensive posterior system

Assembling instrument for guide sleeve	CS 3830-04		4052536081301
Assembling support for guide sleeve	CS 3830-05		4052536081318
Screwdriver for rod inserter, SR 20	CS 3831		4052536081325
Rod inserter, S-shaped	CS 3832		4052536081332
Rod inserter, L-shaped	CS 3833		4052536081349
Tube for rod inserter	CS 3834-01		4052536081363
Stamp for rod inserter	CS 3834-02		4052536081370
Handle for rod inserter	CS 3834-03		4052536081387
Screwdriver for locking screw, pre-fixation, self-retaining	CS 3835		4052536081394
Sleeve for locking screw	CS 3836		4052536081400
Rod pusher, open (Rocker)	CS 3837		4052536081417
Outer sleeve for rod pusher, open, (Persuader)	CS 3838-01		4052536081431
Inner sleeve for rod pusher, open, (Persuader)	CS 3838-02		4052536081448
Star grip handle, hex 17mm	CS 3839		4052536081462
Socket wrench, hex 17mm, coupling A	CS 3840		4052536081479
Sleeve for rod pusher, percutaneous	CS 3841-01		4052536081486

uCentum comprehensive posterior system

Nut for rod pusher, percutaneous	CS 3841-03		4052536081509
Distraction forceps, percutaneous	CS 3843-20		4052536163236
Compression forceps, percutaneous	CS 3843-21		4052536163243
Counterpart, open	CS 3846		4052536081622
Screwdriver for locking screw, pre-fixation, coupling V	CS 3847		4052536081639
Screwdriver with SR 20, coupling H	CS 3848		4052536081646
Counterpart, percutaneous	CS 3849		4052536081653
Adapter for injection, open	CS 3850-01		4052536081660
Adapter for injection, percutaneous	CS 3850-02		4052536081677
Handle for adapter for injection	CS 3850-03		4052536081684
Screwdriver for locking screw, self-retaining	CS 3851-01		4052536081691
Screwdriver for locking screw,, coupling V	CS 3851-02		4052536081707
Compression forceps, curved, for rod Ø 6.0mm	CS 3852-01		4052536081714
Distraction forceps, curved, for rod Ø 6.0mm	CS 3852-02		4052536081721
Measuring caliper	CS 5788		4052536019809
Gearshift handle, Tr 12x3, coupling A	CS 7138		4052536078264

uCentum comprehensive posterior system

Handle XL, Tr 12x3, coupling A	CS 7139		4052536123742
T-handle with ratchet, coupling A	CS 7140		4052536078271
Handle L, M8	CS 7144		4052536078295
T-handle with torque limitation, 9 Nm, coupling V	CS 7146		4052536078301
T-handle with torque limitation, 6 Nm, coupling H	CS 7148		4052536078318
Phantom rod, length 150mm	CS 8032-01		4052536021918
Phantom rod, length 300mm	CS 8032-02		4052536021925
Rod clamp, adjustable	CS 8038		4052536022007
Reduction cutting forceps	CS 8045		4052536022045
Ball tip probe, length 270mm	UL 8522-27		4052536052905
Pedicle probe with ball handle, lumbar, curved, length 230mm	UL 8525-23		4052536052912
Pedicle probe with ball handle, lumbar, straight, length 230mm	UL 8526-23		4052536052929
Pedicle probe with ball handle, thoracic, length 230mm	UL 8527-23		4052536052936
Rod bending forceps acc. to Lepine, length 290mm	UT 1639-29		4052536057962